

# INOAC DUCTS & ACCESSORIES


## Accessories (cont'd)

Airefrig Part Number	Description	Colour	Maximum Load	Weight	Dimensions (mm)			Pieces per Box	List Price Excl GST
					Height	Width	Length		
DSD400N	Base Rock Stand (PVC resin)	Ivory	120kg (at +50°C)	670 grams	82	83	400	30	\$12.32
DSD1000N				1675 grams	82	83	1000	10	\$26.77



## Accessories (cont'd)

Airefrig Part Number	Description	Colour	Pieces per Box	List Price Excl GST
DSDEC	End Cap to suit the Base Rock Stands	Ivory	-	\$0.90



## Accessories (cont'd)

Airefrig Part Number	Description	Pieces per Box	List Price Excl GST
DSDMP	Metal Fixing Plate to suit the Base Rock Stands	-	\$0.73



# AEROFLEX

## Accessories

### Aeroseal

Aeroseal is a Modified Neoprene Contact Adhesive specially formulated for bonding Aeroflex Insulation Materials firmly together. Also ideal for use with other materials such as Metal (painted or unpainted), Cork Board, Polyurethane Foam, Rigid PVC Sheet, Formica, Melamine Board or Rubber Sheet. The high water vapour resistance and good weathering resistance of Aeroseal can prevent water or moisture from penetrating the joints. Aeroseal forms a strong, firm and permanent bond between the applied materials providing long lasting service.



### Aerotape

Aerotape is a flexible and self-adhesive insulation foam tape, which is made from the same elastomeric material as Aeroflex Closed Cell Insulation. Ideal for wrapping hot or cold piping and fittings. Energy efficient and very easy to use. Excellent for preventing condensation problems. Designed specially for retarding heat loss in hot piping and preventing heat gain or frost formation on cold, chilled water piping or refrigeration lines. Adheres firmly to all metals. No problem of delamination. Aerotape is specially coated with primer on the non-adhesive side for a long service life.



### Airtape

Airtape Insulation Cork Tape is specially designed for all types of climates. It insulates cold pipes for all kinds of air conditioners used in cars and homes, freezers and refrigerators. Helps stop condensation problems. Ideal for retarding heat gained in cold pipes and preventing heat loss in hot pipes. Airtape Insulation Tape is an effective sound dampening material and can also be used for gasketing purposes. Airtape Insulation Tape sticks to all kinds of dry metals. It seals tightly without drying. It is flexible and will not shrink or melt within the service temperature of  $-29^{\circ}\text{C}$  to  $93^{\circ}\text{C}$ .



### Aerocoat

Aerocoat is a water-based paint formulated with selected pure acrylic emulsion mixed with other special chemicals. Excellent for coating onto Aeroflex insulation surfaces giving greater protection against ultraviolet rays or other adverse weather conditions. Available in shades of white, blue, green, yellow, red and black. Aerocoat can also be painted onto pipe insulation surfaces for easy identification of the different pipe functions.



### Protape

Protape is an EPDM-based self-adhesive tape, specially made for adhering the joints of Aeroflex tubes and sheets. Protape provides extra holding strength to the joints and serves as a vapour barrier to prevent atmospheric moisture to penetrate the seams. It is flexible, easy to wrap or patch tightly to the insulation surface.



### Aerofix

Aerofix is a polymeric rigid foam Pipe Hanger with a foam tape inner lining, that absorbs vibration of operating pipes. The outer covering consists of a special rubber tape that seals the hanger completely after installation to prevent moisture penetration. Its strong closed cell structure is ideal for insulating hangers especially for cooling pipes to prevent condensation and save energy.



### Aerostand

Aerostand is made from natural rubber blended with EPDM synthetic rubber and is a load support specifically designed for air-conditioning units. This stand possesses both high compressive strength and good weathering resistance. It is very effective in reducing vibration and noise levels. Aerostand can withstand loads of upto 50kgs per piece.



#### Aerostand Specifications

**Tensile Strength :** Minimum 6.5 MPa

**Elongation :** Minimum 250%

**Hardness :**  $70 \pm 5$  Shore A

**Compression Strength @ 10% Deflection :** Minimum  $0.75 \text{ N/mm}^2$

**Maximum Compression Strength :** Minimum  $5.0 \text{ N/mm}^2$


**Tear Strength :** Minimum 15 kgf/cm

# AEROFLEX

## Aeroflex Anti-Vibration

### Aeroflex Anti-Vibration

Airefrig Part Number	Description	List Price Excl GST
AEROPAD10	Anti-Vibration Pad 1000mm (L) x 100mm (W) x 10mm (Thick)	\$23.77
AEROPAD15	Anti-Vibration Pad 1000mm (L) x 100mm (W) x 15mm (Thick)	\$35.72
AEROSTAND075	Machinery Mount 75mm High Max Load 50Kg per stand (set of 4)	\$20.22
TDRAMS201520	Stud Mount 20x15x20mm M8 (set of 4)	\$28.60



TDRAMS201520



AEROSTAND075

# CELFLEX

## Celflex® Lengths & Continuous Insulation

**Celflex®** Continuous Tube is specially designed for long pipe runs on split -type air conditioning systems. Installation will be quicker & easier using continuous tube.

### Features:

- Closed Cell Structure
- Low Thermal Conductivity
- Low Water Absorption
- Low Vapour Permeability
- Tough Surface For Easy & Fast Installation
- Cost Saving Through Fewer Cuts & Joins

### Fire Rating

Celflex to Australian Standard AS1530.3 - 1999

Ignitability Index - 17 (range 0 – 20)

Spread of Flame Index - 9 (range 0 – 10)

Heat Evolved Index - 8 (range 0 – 10)

Smoke Developed Index - 8 (range 0 – 10)

Read in conjunction with the Building Code of Australia

### Celflex - 2 metre Lengths

Airefrig Part Number	Description			List Price Excl GST
	Wall mm	ID mm	Length Metres	
CF09006	9	6	2 Metres	\$2.75
CF09010		10		\$3.01
CF09013		13		\$4.05
CF09016		16		\$4.42
CF09019		19		\$4.93
CF09022		22		\$5.56
CF09025		25		\$5.83
CF09028		28		\$6.11
CF13006		13		6
CF13010	10		\$4.84	
CF13013	13		\$4.98	
CF13016	16		\$5.36	
CF13019	19		\$5.57	
CF13022	22		\$5.78	
CF13025	25		\$6.52	
CF13028	28		\$6.66	

### Celflex - Continuous Roll


Airefrig Part Number	Description			List Price Excl GST
	Wall mm	ID mm	Length Metres	
C09006	9	6	76	\$137.71
C09010		10	63	\$125.51
C09013		13	47	\$111.93
C09016		16	40	\$116.71
C09019		19	33	\$95.91



# SERVICE AIDS

## Flexible Pipe Flashing

Airefrig Part Number	Description	Size Range	Base Size	List Price Ex GST
SPFRTMINI	Springseal (Grey)	0 – 35mm	80mm x 70mm	\$11.90
SPF660		6 – 60mm	120mm Ø	\$18.97
SPF5080		50 – 80mm	160mm Ø	\$18.59
SPF60110		6 – 110mm	195mm Ø	\$27.45
SPF75150		75 – 150mm	235mm Ø	\$39.39
SPF110170		110 – 170mm	275mm Ø	P.O.A.
SPF140210		140 – 210mm	320mm Ø	P.O.A.
SPFZ2070	Zipseal - Springseal (Grey)	20 – 70mm	160mm Ø	\$44.27
SPFZ50190		50 – 190mm	275mm Ø	\$86.77



Springseal



Zipseal - Springseal

## Threaded Rod & Accessories

Airefrig Part Number	Description	List Price Ex GST
M10BRASSROD	Brass Threaded Rod M10 (3ft length)	\$73.00
M10BRASSNUT	Brass Nut M10	\$2.97
M10BRASSWSHR	Brass Washer M10	\$0.98
ALLTHREAD1M	All Thread M10 Zinc Plated x 1 metre length	\$8.75
ALLTHREAD3M	All Thread M10 Zinc Plated x 3 metre length	\$25.99
M10NUTS	Nuts M10 Zinc Plated	\$1.04
M10MUDWASHER	Mudguard Washer M10 Zinc Plated	\$1.00



## Anti Vibration

Airefrig Part Number	Description	Size	List Price Ex GST
WPAD	Waffle Pad	457 x 457	\$50.54
NMAWHITE	Neoprene Mount	White 7 to 20 Kg	\$12.13
NMARED		Red 15 to 40 Kg	\$12.13
NMAGREEN		Green 30 to 70 Kg	\$12.13
NMABLUE		Blue 50 to 100 Kg	\$12.13
AVAIRD	Mounting Spring with 2 Caps	30 KG	\$9.77




NMA Mount



AVAIRD

## Evaporator Hanging Kit

Airefrig Part Number	Description	List Price Ex GST
EHK	Evaporator Hanging Kit c/w 8x M10 nuts & 4x flat washers	\$34.72



EHK Evaporator Hanging Kit  
(M10 threaded rod not included)