

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 25.08.2020

 1.2
 07.05.2021
 100000012928
 Date of first issue: 05.08.2020

# **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : FIRESOUND GREY
Product code : 100000012928

Manufacturer or supplier's details

Company : H.B. Fuller Company Australia Pty. Ltd.

Address : 16-22 Red Gum Drive Dandenong South, VIC 3175

Telephone : +611800423855

Emergency telephone number : 1800 033 111(AU) 0800 734 607(NZ)

Recommended use of the chemical and restrictions on use

Recommended use : Water based adhesive

Restrictions on use : For industrial use only.

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards which do not result in classification

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
quartz (SiO2)	14808-60-7	>= 30 -< 60
aluminium hydroxide (Aerosol)	21645-51-2	>= 10 -< 30
Glass, oxide, chemicals	65997-17-3	>= 10 -< 30



Version Revision Date: 1.2 07.05.2021

SDS Number: 100000012928 Date of last issue: 25.08.2020 Date of first issue: 05.08.2020

propane-1,2-diol

57-55-6

< 10

### **SECTION 4. FIRST AID MEASURES**

General advice Show this safety data sheet to the doctor in attendance.

If inhaled Move to fresh air.

If symptoms persist, call a physician.

In case of skin contact Wash off with soap and water.

Flush eyes with water at least 15 minutes. Get medical atten-In case of eye contact

tion if eye irritation develops or persists.

If swallowed Do not induce vomiting. Seek medical attention if symptoms

develop. Provide medical care provider with this SDS.

Most important symptoms and effects, both acute and

delayed

None known.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media Not combustible.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

none

Specific hazards during fire-

fighting

Cool closed containers exposed to fire with water spray.

Specific extinguishing meth-

ods

This product is an aqueous mixture that will not burn. Dried

product film will burn in a fire.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

tive equipment and emergency procedures

Personal precautions, protec: Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** No special environmental precautions required.

Prevent product from entering drains.



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 25.08.2020

 1.2
 07.05.2021
 100000012928
 Date of first issue: 05.08.2020

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against :

fire and explosion

No special protective measures against fire required.

Advice on safe handling : No special precautions are needed in handling this material.

Conditions for safe storage : Keep container closed when not in use.

Keep in a dry, cool place.

Materials to avoid : Do not freeze.

No special restrictions on storage with other products.

Recommended storage tem-

perature

>= 4 °C

Further information on stor-

age stability

Do not freeze.

Stable under normal conditions.

The pressure in sealed containers can increase under the

influence of heat.

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
quartz (SiO2)	14808-60-7	TWA (Respirable dust)	0.05 mg/m3	AU OEL
	Further information: Category 1A (Carc. 1A) Known to have car-			
	cinogenic potential for humans			
		TWA (Res-	0.025 mg/m3	ACGIH
		pirable par-		
		ticulate mat-		
		ter)		
aluminium hydroxide (Aerosol)	21645-51-2	TWA (Res-	1 mg/m3	ACGIH
		pirable par-		
		ticulate mat-		
		ter)		
		TWA (Res-	1 mg/m3	ACGIH
		pirable par-	(Aluminium)	
		ticulate mat-		
		ter)		



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 25.08.2020

 1.2
 07.05.2021
 100000012928
 Date of first issue: 05.08.2020

Glass, oxide, chemicals	65997-17-3	TWA	0.5 fibres per millilitre	AU OEL	
	Further inform	ation: Exposure	standard is under re-	view.	
		TWA (inhal- able dust)	2 mg/m3	AU OEL	
	brous MMVF, hour TWA) my from largely not take preceder cable. For tho material such low or is difficit fibrous MMVF standard for ny dust (8 hour Tournogen, As decarcinogenic Fibres, pp. 45 random orient (Na2O+K2O+weight., Exemus according to the Hazardous Propersion of the Hazardous Propersion of the 1272/2008 part cation in the Ending Harmonized Standard Stan	Further information: Where almost all the airborne material is fibrous MMVF, an inhalable dust exposure standard of 2 mg/m3 (8 hour TWA) must also be applied to minimise mechanical irritation from largely non-respirable fibre. This inhalable standard is not to take precedence over the respirable fibre standard, where applicable. For those applications where MMVF is combined with other material such that the proportion of respirable fibres is extremely low or is difficult to measure because of the larger portion of nonfibrous MMVF material, it is appropriate to apply the exposure standard for nuisance dusts of 10 mg/m3, measured as inhalable dust (8 hour TWA)., Category 2 (Carc. 2) Suspected human carcinogen, As described in IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Volume 81, Man-Made Vitreous Fibres, pp. 45-54, 2002, IARCPress, Lyon, France3, MMVF with random orientation, alkaline oxide and alkali earth oxide (Na2O+K2O+CaO+MgO+BaO) content greater than 18% by weight., Exempted are: - Any MMVF which have been tested according to the test protocol Methods for the Determination of the Hazardous Properties for Human Health of Man Made Mineral Fibres April 1999 and Note Q in EC Regulation No. 1272/2008 page 353/335 and found to comply with these tests Any MMVF that meet the requirements of Note Q in EC Regulation No. 1272/2008 page 353/335 are exempted from mandatory classification in the European Union as a carcinogen under the Globally Harmonized System for Classification and Labelling of Chemicals (GHS). Note IARC has classified mineral wools (glass wool, rock wool (stone wool), slag wool and continuous glass filament) as IARC Category 3: not classifiable as to carcinogenicity in humans Any MMVF that meet the requirements of Note R in Regulation EC No. 1272/2008 page 353/335 are exempted from mandatory classification as a carcinogen under the GHS in the European			
		TWA	1 fibres per cubic centimeter	ACGIH	
		TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH	
		TWA	1 fibres per cubic centimeter	ACGIH	
		TWA (fibres)	1 fibres per cubic centimeter	ACGIH	
		TWA (fibres)	1 fibres per cubic centimeter	ACGIH	



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 25.08.2020

 1.2
 07.05.2021
 100000012928
 Date of first issue: 05.08.2020

propane-1,2-diol	57-55-6	TWA (partic- ulate)	10 mg/m3	AU OEL
		TWA (Total (vapour and particles))	150 ppm 474 mg/m3	AU OEL

During normal handling of the product, this substance is encapsulated within the product and will not present a cancer exposure risk.

#### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

In case of insufficient ventilation, wear suitable respiratory

equipment.

Hand protection

Material : Nitrile rubber

Remarks : For prolonged or repeated contact use protective gloves.

Eye protection : Safety glasses

Protective measures : No special protective equipment required.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : grey

Odour : Neutral

Odour Threshold : No data available

Melting point/freezing point : 0 °C

Boiling point/boiling range : 100 °C

Evaporation rate : is not determined

Flammability (solid, gas) : Not classified as a flammability hazard

Upper explosion limit / Upper

flammability limit

Upper flammability limit

is not determined



Version Revision 1.2 07.05.

Revision Date: SDS Number: 07.05.2021 100000012928

Date of last issue: 25.08.2020 Date of first issue: 05.08.2020

Lower explosion limit / Lower :

flammability limit

Lower flammability limit

is not determined

Vapour pressure : is not determined

Relative vapour density : is not determined

Density : 1.53 g/cm3

Solubility(ies)

Water solubility : dispersible

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : is not determined

VOC, less water, in g/l : 31

Volatile organic compounds : Method: SCAQMD R1168 Procedure B ASTM D2369

#### **SECTION 10. STABILITY AND REACTIVITY**

Chemical stability : The product is chemically stable.

Possibility of hazardous reac- :

tions

Hazardous polymerisation does not occur.

Hazardous decomposition

products

Stable under normal conditions.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Skin corrosion/irritation

**Product:** 

Remarks : No data available

### Serious eye damage/eye irritation

**Product:** 

Remarks : No data available



Version 1.2

Revision Date: 07.05.2021

SDS Number: 100000012928

Date of last issue: 25.08.2020 Date of first issue: 05.08.2020

**Chronic toxicity** 

Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: No data available

Carcinogenicity

Product:

Remarks : No data available

Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: No data available

STOT - single exposure

**Product:** 

Remarks : No data available

STOT - repeated exposure

**Product:** 

Remarks : No data available

**SECTION 12. ECOLOGICAL INFORMATION** 

**Ecotoxicity** 

**Components:** 

propane-1,2-diol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 710 mg/l

Exposure time: 96 h Test Type: static test

Persistence and degradability

No data available

**Bioaccumulative potential** 

No data available



Version 1.2

Revision Date: 07.05.2021

SDS Number: 100000012928

Date of last issue: 25.08.2020 Date of first issue: 05.08.2020

Mobility in soil

No data available

Other adverse effects

No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : To the best of our knowledge, this product does not meet the

definition of hazardous waste. Solidify and dispose of in an approved landfill. Consult state, local or provincial authorities

for more restrictive requirements.

The hazard and precautionary statements displayed on the

label also apply to any residues left in the container.

#### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

**UNRTDG** 

Not regulated as a dangerous good

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**National Regulations** 

**ADG** 

Not regulated as a dangerous good

### **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform Scheduling of Medicines and

No poison schedule number allocated

Poisons

Prohibition/Licensing Requirements : quartz (SiO2)

Refer to model WHS Act and Regu-



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 25.08.2020

 1.2
 07.05.2021
 100000012928
 Date of first issue: 05.08.2020

lations for prohibition, authorisation and restricted use.

# The components of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

REACH : Not in compliance with the inventory

AIIC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

TCSI : Not in compliance with the inventory

#### **SECTION 16. OTHER INFORMATION**

**Further information** 

Revision Date : 07.05.2021

Contact Point : Prepared by: Global Regulatory Department - phone: 1-651-

236-5842 - email: msds.request@hbfuller.com

Date format : dd.mm.yyyy



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 25.08.2020

 1.2
 07.05.2021
 100000012928
 Date of first issue: 05.08.2020

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

AU OEL : Australia. Workplace Exposure Standards for Airborne Con-

taminants.

ACGIH / TWA : 8-hour, time-weighted average

AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN